





SPOT

Foto	Codice	Articolo	Descrizione	Equiv	Colori	Lumen	Potenza	Alim
	07001	SPOT CIELO	SPOT LED DA INCASSO IN ALLUMINIO, IP20, DIAM.14mm H.15mm, LENTE 60°, FORO 10mm	2W	6000K 3000K BLU	20Lm	0,2W	12VDC
	07002	SPOT CIELO 2	SPOT LED DA INCASSO IN ACCIAIO COL.BIANCO, IP20, DIAM.12mm H.25mm, LENTE 60°, FORO 8mm	2W	3000K	18Lm	0,2W	12VDC
	07003	SPOT DECO	SPOT LED DA INCASSO IN ALLUMINIO, IP20, DIAM.30mm H.12,5mm, LENTE 120°, FORO 24mm	3W	3000K	28Lm	0,3W	12VDC
	07004	SPOT PUNTO	SPOT LED DA INCASSO IN ALLUMINIO LUCIDO/BIANCO, IP20, DIAM.20mm H.25mm, LENTE 30°, FORO 15mm	10W	3000K 4000K	80Lm	1W	350mA
	07005	SPOT DOT	SPOT LED DA INCASSO IN ALLUMINIO, IP40, DIAM.18mm H.17mm, H.FLANGIA 3,5mm, LENTE diffusa, FORO 16mm	10W	5000K 4000K 3000K 2700K	150Lm	1W	350mA
	07006	SPOT POD	SPOT LED DA INCASSO IN ALLUMINIO, IP40, DIAM.24mm H.21mm, H.FLANGIA 2mm, LENTE diffusa, FORO 16mm	10W	5000K 4000K 3000K 2700K	150Lm	1W	350mA
	07007	SPOT 1	SPOT LED DA INCASSO IN ALLUMINIO, IP40, DIAM.35x34mm, LENTE 60°, FORO 30mm	15W	4000K 3000K	160Lm	2,5W	230VAC
	07008	SPOT MET20	SPOT LED DA INCASSO IN ALLUMINIO, IP43, DIAM.27mm H.20,5mm, H.FLANGIA 6,5mm, LENTE 30°, 40°, FORO 21mm	10W	5000K 4000K 3000K 2700K	150Lm	1W	350mA
	07009	SPOT MET28	SPOT LED DA INCASSO IN ALLUMINIO, IP43, DIAM.36mm H.28mm, H.FLANGIA 6mm, LENTE 30°, 40°, FORO 28mm	10W 16W	5000K 4000K 3000K 2700K	250Lm	1W 2,2W	350mA 700mA
	07010	SPOT ALLUMINIO	SPOT LED DA INCASSO IN ALLUMINIO, IP43, DIAM.27mm H.22mm, FLANGIA BASSA, LENTE 15°, 30°, 60°, FORO 22mm	7,5W	6/4/3000K, ROSSO, VERDE, BLU, AMBRA	130Lm	1W	350mA
	07011	SPOT SHELF	SPOT LED DA INCASSO IN ALLUMINIO, IP40, DIAM.32mm H.28mm, LENTE 25°, 40°, 120°, FORO 29mm	10W	5000K 4000K 3000K	150Lm	1W	350mA
	07015	SPOT UFOS	SPOT LED DA INCASSO IN ALLUMINIO CROMATO, IP40, DIAM.40mm H.13mm, LENTE 10°, 20°, 45°, 120°, FORO 29mm	7,5W	5000K 4000K 3000K	150Lm 220Lm	1W 2W	350mA 500mA




	07016	SPOT PUNTO	SPOT LED DA INCASSO IN ALLUMINIO ANOD./CROMATO, IP40, DIAM.34mm H.12mm, LENTE 120°, FORO 28mm	10W	5000K 4000K 3000K	150Lm	1W	350mA
	07017	SPOT MINI	SPOT LED DA INCASSO IN PLASTICA, IP40, DIAM.32mm H.10mm, LENTE 110°, FORO 24mm	10W	5000K 4000K 3000K 2700K	150Lm	1W	350mA
	07018	SPOT MINI POWER	SPOT LED DA INCASSO IN PLASTICA, IP40, DIAM.32mm H.60mm, LENTE 110°, FORO 24mm	16W	5000K 4000K 3000K 2700K	250Lm	2,3W	700mA
	07019	SPOT MINI WIDE	SPOT LED DA INCASSO IN PLASTICA, IP40, DIAM.32mm H.10mm, LENTE 40°, FORO 24mm	10W	5000K 4000K 3000K 2700K	150Lm	1,1W	350mA
	07020	SPOT MINI WIDE POWER	SPOT LED DA INCASSO IN PLASTICA, IP40, DIAM.32mm H.45mm, LENTE 40°, FORO 24mm	20W	5000K 4000K 3000K 2700K	250Lm	2,3W	700mA
	07021	SPOT MINI ROUND	SPOT LED DA INCASSO IN ALLUMINIO ANOD./CROMATO, IP40, DIAM.40mm H.20mm, LENTE 120°, FORO 28mm	10W	5000K 4000K 3000K	150Lm	1W	350mA
	07022	SPOT MINI SQUARE	SPOT LED DA INCASSO IN ALLUMINIO ANOD./CROMATO, IP40, DIM.40x40mm H.20mm, LENTE 120°, FORO 28mm	10W	5000K 4000K 3000K	150Lm	1W	350mA
	07023	SPOT DECO TRASP	SPOT LED DA INCASSO IN PLASTICA, IP40, DIAM.15x35mm / 13x28mm, CASSA TRASPARENTE, FORO 9mm	1W	6300K	11Lm	0,24W	12VDC
	07026	SPOT FLOOR	SPOT LED CALPESTABILE, IP65, DIAM.30mm H.4,5mm, FORO 10mm	10W	5/4/3/2700K, ROSSO, VERDE, BLU, AMBRA	150Lm	1W	350mA
	07027	SPOT UFO	SPOT LED DA INCASSO, IP40, DIAM.70mm H.17mm, GHIERA BIANCA/ NERA/ TITANIO/ CROMATA, LENTE 110°, FORO 55mm	25W	5000K 4000K 3000K 2700K	320Lm	3,2W	12VDC
	07028	SPOT SLIM	SPOT LED DA INCASSO IN ALLUMINIO ANOD./CROMATO, IP40, DIAM.65mm H.13mm, LENTE 120°, FORO 52mm	30W	5000K 4000K 3000K	400Lm	3W	350mA
	07030	SPOT HAMMER	SPOT LED IN ALLUMINIO CROMATO, IP20, ORIENTABILE, DIAM.30x45mm H.45mm, FORO 173mm, LENTE 10°, 25°, 40°	10W	5000K 4000K 3000K	150Lm 300Lm	1W 2W	350mA 500mA
	07031	SPOT FLEXIBLE	SPOT LED IN ALLUMINIO CROMATO, IP20, ORIENTABILE, DIAM.15x50mm H.350mm, FORO 8,5mm, LENTE VARIABILE	10W	5000K 4000K 3000K	150Lm	1W	350mA

	07032	SPOT LIZAR	SPOT LED IN ALLUMINIO CROMATO, IP20, ORIENTABILE, DIAM.29x45mm H.80mm, FORO 8,5mm, LENTE 10°, 25°, 40°	7,5W	5000K 4000K 3000K	150Lm	1W	350mA
	07035	SPOT ORIENT	SPOT LED IN ALLUMINIO ANODIZZATO, IP20, ORIENTABILE, DIAM.47mm H.48mm, LENTE 10°, 25°, 40°, FORO 41mm	7,5W	5000K 4000K 3000K	400Lm	4,5W	700mA
	07036	SPOT CHAMELEON	SPOT LED IN ALLUMINIO ANODIZZATO, IP40, ORIENTABILE, DIAM.24mm H.45mm, LENTE 10°, 20°, 40°, 60°, FORO 30mm	7,5W	5000K 4000K 3000K	150Lm	1W	350mA




MR8: diam.25mm

	07037	SPOT TRIO MR8	SPOT TRE LED DA INCASSO, IP20, DIAM.23mm H.52mm, LENTE 12°, 25°, 40°	35W	5000K 4000K 3000K 2700K	450Lm	3W	3x350mA
---	--------------	---------------	--	-----	----------------------------------	-------	----	---------




MR11: diam.35mm

	07038	SPOT MONO MR11	SPOT LED, IP20, DIAM.35mm H.16-27mm, LENTE 30°, 45°	10W	4000K 3000K 2700K	130Lm	1,1W	350mA
	07039	SPOT TRIO MR11	SPOT TRE LED DA INCASSO, IP20, DIAM.35mm H.63mm, LENTE 12°, 25°, 40°	30W	5000K 4000K 3000K 2700K	450Lm	3W 4,6W	3x350mA 3x500mA
	07040	LAMPADA SPOT GU4 ECO MR11	LAMPADA SPOT LED GU4 MR11, IP20, DIAM.35mm H.36mm, LENTE 120°	15W	6000K 3000K	180Lm	2W	10-30VDC

MR16: diam.50mm

	07041	LAMPADA SPOT SAMSUNG GU5.3 MR16	LAMPADA SPOT LED GU5.3 MR16, IP40, DIAM.50mm H.47mm, LENTE 120°	50W	5000K 4000K 2800K	480Lm	5W	12V AC/DC
	07042	LAMPADA SPOT ECO GU5.3 MR16	LAMPADA SPOT LED GU5.3 MR16, IP20, DIAM.50mm H.55mm, LENTE 120°	40W	4000K 3000K	400Lm	5W	12V AC/DC
	07043	LAMPADA SPOT RETROFIT ECO GU5.3 MR16	LAMPADA SPOT LED GU5.3 MR16, IP40, DIAM.50mm H.50mm, LENTE 35°; (TRAFO ELETTRONICI, ELETTRO-MECCANICI E TOROIDALI)	35W	4000K 3000K	260Lm	5W	12V AC/DC
	07044	LAMPADA SPOT Q5 GU5.3 MR16	LAMPADA SPOT LED GU5.3 MR16, IP40, DIAM.50mm H.47mm, LENTE 38°	35W	4000K 3000K	460Lm	6W	12V AC/DC
	07045	LAMPADA SPOT ECO GU5.3 MR16	LAMPADA SPOT LED GU5.3 MR16, IP40, DIAM.50mm H.50mm, LENTE 60°	45W	2700K	450Lm	6W	12V AC/DC

	07046	LAMPADA SPOT ECO GU5.3 MR16	LAMPADA SPOT LED GU5.3 MR16, IP40, DIAM.50mm H.46mm, LENTE 35°, 105°	50W	6500K 4000K 2700K	550Lm	7W	12V AC/DC
	07047	LAMPADA SPOT H6 GU10 MR16	LAMPADA SPOT LED GU10 MR16, IP40, DIAM.50mm H.55mm, LENTE 15°, 30°, 45° 60°	40W	6300K 4000K 3000K 2700K	490Lm	5,5W	240VAC
	07048	LAMPADA SPOT SAMSUNG GU10 MR16	LAMPADA SPOT LED GU10 MR16, IP40, DIAM.50mm H.58mm, LENTE 120°	50W	5000K 4000K 2800K	480Lm	5W	240VAC
	07049	LAMPADA SPOT REFLECTOR GU10 MR16	LAMPADA SPOT LED GU10 MR16, IP40, DIAM.50mm H.55mm, LENTE 35°	35W	3000K	260Lm	5W	240VAC
	07050	LAMPADA SPOT H5 GU10 MR16	LAMPADA SPOT LED GU10 MR16, IP40, DIAM.50mm H.59mm, LENTE 36°	35W	4000K 3000K 2700K	460Lm	6W	240VAC
	07051	LAMPADA SPOT ECO GU10 MR16	LAMPADA SPOT LED GU10 MR16, IP40, DIAM.50mm H.60mm, LENTE 120°	40W	6500K 4200K 3000K	460Lm	6W	240VAC
	07052	LAMPADA SPOT ECO GU10 MR16 DIMMER	LAMPADA SPOT LED GU10 MR16, IP40, DIAM.50mm H.60mm, LENTE 120°	40W	3000K	450Lm	6W	240VAC
	07053	LAMPADA SPOT ECO GU10 MR16	LAMPADA SPOT LED GU10 MR16, IP40, DIAM.50mm H.50mm, LENTE 60°	45W	2700K	450Lm	6W	240VAC
	07054	LAMPADA SPOT ECO GU10 MR16	LAMPADA SPOT LED GU10 MR16, IP40, DIAM.50mm H.54mm, LENTE 35°, 105°	50W	6500K 4000K 2700K	550Lm	7W	240VAC
	07055	LAMPADA SPOT ECO GU10 MR16 DIMMER	LAMPADA SPOT LED GU10 MR16, IP40, DIAM.50mm H.55mm, LENTE 38°	48W	3000K	580Lm	7W	240VAC
	07056	LAMPADA SPOT H2 GU10 MR16 DIMMER	LAMPADA SPOT LED GU10 MR16, IP40, REGOLABILE CON DIMMER LATO PRIMARIO, DIAM.50mm H.70mm, LENTE 25°, 50°	35W	5000K 4000K 3000K 2700K	600Lm	7W	240VAC
	07057	LAMPADA SPOT ECO GU10 MR16 DIMMER	LAMPADA SPOT LED GU10 MR16, IP40, DIMMERABILE, DIAM.50mm H.55mm, LENTE 120°	45W	3000K	580Lm	7W	240VAC
	07058	SPOT TRIO MONO FLAT MR16	SPOT TRE LED MR16, IP20, DIM.50mm H.35mm, LENTE 8°, 25°, 40°	30W	5000K 4000K 3000K 2700K	330Lm	3,6W	3x350mA

	07059	TRIO MONO POWER MR16	SPOT TRE LED MR16, IP20, DIM.50mm H.83mm, LENTE 8°, 25°, 45°	55W	5000K 4000K 3000K 2700K	750Lm	6,5W	3x700mA
	07060	SPOTTY MR16	SPOT LED, IP20, DIM.50x73mm, LENTE 40°	50W	5000K 4000K 3000K 2700K	1286Lm	9W	250mA
	07061	SPOTTY DC MR16	SPOT LED MR16, IP20, DIM.50x73mm, LENTE 40°	50W	5000K 4000K 3000K 2700K	1286Lm	9W	24V

AR111: diam.111mm

	07062	SPOT U111 LENTE VARIABILE AR111	SPOT SETTE LED DA INCASSO AR111, IP20, DIAM.111mm H.50mm, LENTE VARIABILE 25°- 40°-65°	110W	5000K 4000K 3000K 2700K	1750Lm	16W	7x700mA, (24VDC con DRIVER LV)
	07063	SPOT U226 AR111	SPOT LED DA INCASSO AR111, IP40, DIAM.111mm H.94mm, LENTE 45°, 70°	250W	5000K 4000K 3000K 2700K	3170Lm	26W	700mA, (24V DC)
	07064	SPOT 9 AR111	SPOT NOVE LED DA INCASSO AR111, IP40, DIAM.111mm H.60mm, LENTE 10°, 25°, 40°,120°	100W	5800K 4000K 3000K	1360Lm	18W	9x500mA
	07065	SPOT 12 AR111	SPOT DODICI LED DA INCASSO AR111, IP40, DIAM.111mm H.60mm, LENTE 25°, 40°,120°	130W	5800K 4000K 3000K	1400Lm	15W	12x350mA
	07066	SPOT G53 AR111	SPOT LED DA INCASSO G53 AR111, IP40, GHIERA SILVER, DIAM.111mm H.47mm, LENTE 30°	50W 75W	4000K 3000K	910Lm	13W	12V AC/DC
	07067	SPOT RETROFIT G53 AR111	SPOT LED DA INCASSO G53 AR111, IP40, GHIERA SILVER, DIAM.111x47mm, LENTE 25°, 40°; (TRAFO ELETTRONICI, ELETTO-MECCANICI E TOROIDALI)	50W	5000K 4000K 3000K 2700K	1060Lm	15W	12V AC/DC
	07068	SPOT RETROFIT G53 AR111 ECO	SPOT LED DA INCASSO G53 AR111, IP40, DIAM.111x59mm, LENTE 30°, 60°, 120°; (TRAFO ELETTRONICI, ELETTO- MECCANICI E TOROIDALI)	95W	3000K	1000Lm	15W	12V AC/DC
	07069	SPOT RETROFIT G53 AR111 REFLECTOR	SPOT LED DA INCASSO G53 AR111, IP40, DIAM.111x55mm, LENTE 35°; (TRAFO ELETTRONICI, ELETTO- MECCANICI E TOROIDALI)	50W	3000K	500Lm	10W	12V AC/DC
	07070	SPOT GU10 AR111	SPOT LED DA INCASSO GU10 AR111, IP40, DIAM.111x74mm, LENTE 35°	100W	3000K	1350Lm	15W	230VAC